



SECTION 1: Identification of the substance/mixture and of the company/undertaking

| 1.1. Product identifier | |
|--|---|
| Trade name or designation of the mixture | EasyWood |
| Registration number | - |
| Synonyms | None. |
| Issue date | 16-July-2019 |
| Version number | 01 |
| 1.2. Relevant identified uses of t | he substance or mixture and uses advised against |
| Identified uses | 3D printer filament |
| Uses advised against | None known. |
| 1.3. Details of the supplier of the | safety data sheet |
| Supplier | |
| Company name | Formfutura BV |
| Address | Groenestraat 215, 6531 HH Nijmegen, The Netherlands |
| Telephone | +31 (0)85 743 4000 (Office hours Mo Fr. 09:00 - 17:00 CET) |
| Contact person | Product Compliance |
| e-mail | product.compliance@formfutura.com |
| | |
| 1.4. Emergency telephone | +31 (0)30 274 8888, only for the doctor |
| number | National Poison Information Center Utrecht, The Netherlands |

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

Classification according to Regulation (EC) No 1272/2008 as amended

This mixture does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended.

Hazard summary Not available.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended None. Hazard pictograms Signal word None. The mixture does not meet the criteria for classification. **Hazard statements Precautionary statements** Not available. Prevention Not available. Response Not available. Storage Not available. Disposal Supplemental label information None. 2.3. Other hazards Not a PBT or vPvB substance or mixture.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

| General information | | | | | |
|---------------------|-----------|------------------|-------------------------------|-----------|-------|
| Chemical name | % | CAS-No. / EC No. | REACH Registration No. | Index No. | Notes |
| Polylactic acid | 30 - < 40 | Proprietary - | - | - | |

Classification:

| wood fibers | 30 - 30 |
|--|---|
| Classification: - | 20 - < 30 |
| Other components below report levels | table 30 - < 40 |
| composition comments | The full text for all H-statements is displayed in section 16. |
| SECTION 4: First aid measu | lres |
| | Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. |
| .1. Description of first aid measu | |
| | Not likely, due to the form of the product. If exposed to excessive levels of dusts or fumes, remov to fresh air and get medical attention if cough or other symptoms develop. |
| | If burned by contact with hot material, cool molten material adhering to skin as quickly as possible with water, and see a physician for removal of adhering material and treatment of burn. Do not peel polymer from the skin. |
| | Not likely, due to the form of the product. If hot product contacts eye, flush with water for at least 15 minutes and seek medical attention immediately. |
| Ingestion | Not likely, due to the form of the product. |
| .2. Most important symptoms nd effects, both acute and elayed | Exposure may cause temporary irritation, redness, or discomfort. |
| .3. Indication of any nmediate medical attention nd special treatment needed | Treat symptomatically. |
| SECTION 5: Firefighting me | easures |
| General fire hazards | No unusual fire or explosion hazards noted. |
| .1. Extinguishing media Suitable extinguishing media | Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). |
| Unsuitable extinguishing media | Do not use water jet as an extinguisher, as this will spread the fire. |
| .2. Special hazards arising rom the substance or mixture | During fire, gases hazardous to health may be formed. |
| .3. Advice for firefighters Special protective equipment for firefighters | Self-contained breathing apparatus and full protective clothing must be worn in case of fire. |
| Special fire fighting procedures | Move containers from fire area if you can do so without risk. |
| pecific methods | Use standard firefighting procedures and consider the hazards of other involved materials. |
| SECTION 6: Accidental rele | ease measures |
| | tive equipment and emergency procedures Keep unnecessary personnel away. For personal protection, see section 8 of the SDS. |
| For emergency responders | Keep unnecessary personnel away. Use personal protection recommended in Section 8 of the SDS. |
| | Avoid discharge into drains, water courses or onto the ground. |
| • | Sweep up or vacuum up spillage and collect in suitable container for disposal. For waste disposal, see section 13 of the SDS. |
| .4. Reference to other ections | For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS |
| SECTION 7: Handling and s | storage |
| • | Observe good industrial hygiene practices. |
| .2. Conditions for safe torage, including any | Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS). |
| ncompatibilities | |

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Oc

| Austria. MAK List, OEL Ordinance (Gv Components | Туре | Value | Form |
|---|------------------------------------|--|-------------------------------------|
| wood fibers | MAK | 5 mg/m3 | Inhalable dust. |
| | STEL | 10 mg/m3 | Inhalable dust. |
| Belgium. Exposure Limit Values. | | | |
| Components | Туре | Value | |
| wood fibers | TWA | 10 mg/m3 | |
| Croatia. Dangerous Substance Expos Components | ure Limit Values in the Wo Type | orkplace (ELVs), Annexes 1 a Value | nd 2, Narodne Novine, 13/0 Form |
| wood fibers | MAC | 4 mg/m3 | Respirable dust. |
| | | 10 mg/m3 | Total dust. |
| | STEL | 20 mg/m3 | Total dust. |
| Cyprus. OELs. Control of factory atmo Components | osphere and dangerous su Type | ubstances in factories regula Value | tion, PI 311/73, as amended Form |
| wood fibers | TWA | 2 mg/m3 | Dust. |
| Czech Republic. OELs. Government E |)ecree 361 | Ũ | |
| Components | Туре | Value | Form |
| wood fibers | TWA | 6 mg/m3 | Dust. |
| Denmark. Exposure Limit Values | | | |
| Components | Туре | Value | Form |
| wood fibers | TLV | 3 mg/m3 | Total dust. |
| Estonia. OELs. Occupational Exposur 2001) | e Limits of Hazardous Su | bstances. (Annex of Regulati | on No. 293 of 18 September |
| Components | Туре | Value | Form |
| wood fibers | TWA | 2 mg/m3 | Total dust. |
| | | 10 mg/m3 | Fine dust. |
| Finland. Workplace Exposure Limits | | | _ |
| Components | Туре | Value | Form |
| wood fibers | STEL | 10 mg/m3 | Dust. |
| | TWA | 5 mg/m3 | Dust. |
| France. Threshold Limit Values (VLEF Components | P) for Occupational Expos Type | ure to Chemicals in France, I Value | NRS ED 984 |
| wood fibers | VME | 10 mg/m3 | |
| Regulatory status: Indicative lim | it (VL) | | |
| celand. OELs. Regulation 154/1999 o | n occupational exposure I | imits | |
| Components | Туре | Value | Form |
| wood fibers | TWA | 3 mg/m3 | Total dust and mist. |
| Ireland. Occupational Exposure Limit Components | s Type | Value | Form |
| wood fibers | TWA | 10 mg/m3 | Respirable dust. |
| | | | |
| Italy Occupational Exposure Limits | | | |
| Italy. Occupational Exposure Limits Components | Туре | Value | |

Components Value Туре

wood fibers TWA 2 mg/m3

Formfutura BV | Groenestraat 215 | 6531 HH | Nijmegen | Netherlands | T: +31 (0)85 002 0880 | E: info@formfutura.com Dutch Business Registration No: 69099502 | VAT No: NL857733709B01 | EORI No: NL857733709 | D-U-N-S: 490546732 Bank: ING Bank NV | Account Holder: Formfutura BV | IBAN: NL42INGB0006834951 | BIC: INGBNL2A

| Lithuania. OELs. Limit Val Components | ues for Chemical Substances, General I Type | Requirements Value | Form |
|---|---|--|--|
| wood fibers | TWA | 2 mg/m3 | Dust. |
| Norway. Administrative No Components | orms for Contaminants in the Workplace Type | Value | Form |
| wood fibers | TLV | 5 mg/m3 | Total dust. |
| Portugal. VLEs. Norm on o Components | occupational exposure to chemical ager Type | nts (NP 1796) Value | |
| wood fibers | TWA | 10 mg/m3 | |
| Spain. Occupational Expo Components | sure Limits Type | Value | |
| wood fibers | TWA | 10 mg/m3 | |
| Switzerland. SUVA Grenzy | | | |
| Components | Type | Value | Form |
| wood fibers | TWA | 3 mg/m3 | Respirable fraction. |
| UK. EH40 Workplace Expo | osure Limits (WELs) | - | |
| Components | Туре | Value | Form |
| wood fibers | STEL | 20 mg/m3 | Inhalable dust. |
| | TWA | 4 mg/m3 | Respirable dust. |
| | | 10 mg/m3 | Inhalable dust. |
| ological limit values | No biological exposure limits noted for | the ingredient(s). | |
| ecommended monitoring ocedures | Follow standard monitoring procedures | • | |
| erived no effect levels NELs) | Not available. | | |
| edicted no effect ncentrations (PNECs) | Not available. | | |
| 2. Exposure controls | | | |
| ppropriate engineering ntrols | Good general ventilation (typically 10 a should be matched to conditions. If app or other engineering controls to mainta exposure limits have not been establish | blicable, use process enclosu in airborne levels below reco | ures, local exhaust ventilation ommended exposure limits. I |
| dividual protection measure | s, such as personal protective equipme | nt | |
| General information | Personal protection equipment should discussion with the supplier of the pers | onal protective equipment. | CEN standards and in |
| Eye/face protection | Wear safety glasses with side shields (| or goggles). | |
| Skin protection | | | |
| - Hand protection | Wear appropriate chemical resistant gl | oves. | |
| - Other | Wear suitable protective clothing. | | |
| Respiratory protection | In case of insufficient ventilation, wear | | ent. |
| Thermal hazards | Wear appropriate thermal protective cle | othing, when necessary. | |
| giene measures | Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. | | |
| ivironmental exposure ntrols | Environmental manager must be inform | ned of all major releases. | |
| ECTION 9: Physical and | d chemical properties | | |
| I. Information on basic physopearance | ical and chemical properties | | |

| Appearance | |
|----------------|--|
| Physical state | Solid. |
| Form | filament |
| Colour | Color depends on product specification |
| Odour | Slight. |
| | |

| Odour threshold | Not available. |
|--|---|
| рН | Not available. |
| Melting point/freezing point | 140 - 150 °C (284 - 302 °F) |
| Initial boiling point and boiling range | Not available. |
| Flash point | Not available. |
| Evaporation rate | Not available. |
| Flammability (solid, gas) | Not available. |
| Upper/lower flammability or exp | losive limits |
| Flammability limit - lower (%) | Not available. |
| Flammability limit - upper (%) | Not available. |
| Vapour pressure | Not available. |
| Vapour density | Not available. |
| Relative density | Not available. |
| Solubility(ies) | |
| Solubility (water) | Not available. |
| Partition coefficient (n-octanol/water) | Not available. |
| Auto-ignition temperature | Not available. |
| Decomposition temperature | Not available. |
| Viscosity | Not available. |
| Explosive properties | Not explosive. |
| Oxidising properties | Not oxidising. |
| 9.2. Other information | |
| Density | 1,10 - 1,30 g/cm³ |
| SECTION 10: Stability and | I reactivity |
| 10.1. Reactivity | The product is stable and non-reactive under normal conditions of use, storage and transport. |
| 10.2. Chemical stability | Material is stable under normal conditions. |
| 10.3. Possibility of hazardous reactions | No dangerous reaction known under conditions of normal use. |
| | |

| 10.4. Conditions to avoid | Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Avoid temperatures exceeding the decomposition temperature. Contact with incompatible materials. |
|---|---|
| 10.5. Incompatible materials | Strong oxidising agents. |
| 10.6. Hazardous decomposition products | No hazardous decomposition products are known. |

SECTION 11: Toxicological information

General information

Occupational exposure to the substance or mixture may cause adverse effects.

| Information on likely routes of | exposure | |
|--|---|--|
| Inhalation | Based on available data, the classification criteria are not met. | |
| Skin contact | Based on available data, the classification criteria are not met. | |
| Eye contact | Based on available data, the classification criteria are not met. | |
| Ingestion | May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of occupational exposure. | |
| Symptoms | Exposure may cause temporary irritation, redness, or discomfort. | |
| 11.1. Information on toxicological effects | | |
| Acute toxicity | Not known. | |
| Skin corrosion/irritation | Based on available data, the classification criteria are not met. | |
| Serious eye damage/eye irritation | Based on available data, the classification criteria are not met. | |

| available data, the classification criteria are not met. |
|--|
| available data, the classification criteria are not met. |
| available data, the classification criteria are not met. |
| |

| Carcinogenicity | Based on available data, the classification criteria are not met. |
|--|--|
| Hungary. 26/2000 EüM Ordin (as amended) | ance on protection against and preventing risk relating to exposure to carcinogens at work |
| Not listed. | |
| Reproductive toxicity | Based on available data, the classification criteria are not met. |
| Specific target organ toxicity - single exposure | Based on available data, the classification criteria are not met. |
| Specific target organ toxicity - repeated exposure | Based on available data, the classification criteria are not met. |
| Aspiration hazard | Based on available data, the classification criteria are not met. |
| Mixture versus substance information | No information available. |
| Other information | This product has no known adverse effect on human health. |
| SECTION 12: Ecological in | formation |
| 12.1. Toxicity | The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment. |
| 12.2. Persistence and degradability | Biodegradable in industrial composting facilities. |
| 12.3. Bioaccumulative potential | |
| Partition coefficient n-octanol/water (log Kow) | Not available. |
| Bioconcentration factor (BCF) | Not available. |
| 12.4. Mobility in soil | No data available. |
| 12.5. Results of PBT and vPvB | Not a PBT or vPvB substance or mixture. Not available. |

12.6. Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

SECTION 13: Disposal considerations

| 13.1. Waste treatment methods | |
|-------------------------------|--|
| Residual waste | Dispose of in accordance with local regulations. |
| Contaminated packaging | Empty containers should be taken to an approved waste handling site for recycling or disposal. |
| EU waste code | The Waste code should be assigned in discussion between the user, the producer and the waste disposal company. |
| Disposal methods/information | Collect and reclaim or dispose in sealed containers at licensed waste disposal site. |
| Special precautions | Dispose in accordance with all applicable regulations. |

SECTION 14: Transport information

ADR

assessment

14.1. - 14.6.: Not regulated as dangerous goods.

RID

14.1. - 14.6.: Not regulated as dangerous goods.

ADN

14.1. - 14.6.: Not regulated as dangerous goods.

ΙΑΤΑ

14.1. - 14.6.: Not regulated as dangerous goods.

IMDG

14.1. - 14.6.: Not regulated as dangerous goods.

14.7. Transport in bulkNot applicable.according to Annex II ofMARPOL 73/78 and the IBC

Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended Not listed.

Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended Not listed. Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended Not listed Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended Not listed. Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended Not listed. Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended Not listed. Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA Not listed Authorisations Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended Not listed. **Restrictions on use** Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended Not listed. Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended. Not listed. **Other EU regulations** Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended Not listed. Other regulations The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP Regulation) as amended. This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006, as amended. Follow national regulation on the protection of workers from the risks of exposure to carcinogens National regulations and mutagens at work, in accordance with Directive 2004/37/EC. No Chemical Safety Assessment has been carried out. 15.2. Chemical safety assessment SECTION 16: Other information List of abbreviations Not available. Not available. References Information on evaluation The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available. method leading to the classification of mixture Full text of any H-statements None.

Sections 2 to 15Revision informationNone.Training informationFollow training instructions when handling this material.DisclaimerThis safety data sheet (SDS) is issued based on the latest reference, data etc currently available.
The information in this SDS has been carefully assessed, but no guarantee is given for its
accuracy. We cannot anticipate all conditions under which this product may be used. It is the
user's responsibility to take appropriate safety measures for handling.

not written out in full under