Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



ECONOMY LCD RESIN

Version number: SDS 1.0 Date of compilation: 2022-04-04

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Trade name ECONOMY LCD RESIN
Registration number (REACH) not relevant (mixture)
Unique formula identifier (UFI) 7X0D-MRDR-VP21-S80M

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses. 3D printing resin

1.3 Details of the supplier of the safety data sheet

Formfutura BV Tarweweg 3 6534 AM Nijmegen Netherlands

e-mail: product.compliance@formfutura.com

Website: www.formfutura.com

e-mail (competent person) product.compliance@formfutura.com

1.4 Emergency telephone number

Emergency information service +31 (0)85 743 4000

This number is only available during the following office

hours: Mon-Fri 09:00 AM - 05:00 PM

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

| Section | Hazard class | Category | Hazard class and category | Hazard state- ment |
|---------|--|----------|---------------------------|-----------------------|
| 3.2 | skin corrosion/irritation | 2 | Skin Irrit. 2 | H315 |
| 3.3 | serious eye damage/eye irritation | 2 | Eye Irrit. 2 | H319 |
| 3.4\$ | skin sensitisation | 1 | Skin Sens. 1 | H317 |
| 4.1A | hazardous to the aquatic environment - acute hazard | 1 | Aquatic Acute 1 | H400 |
| 4.1C | hazardous to the aquatic environment - chronic hazard | 2 | Aquatic Chronic 2 | H411 |

For full text of abbreviations: see SECTION 16.

The most important adverse physicochemical, human health and environmental effects Spillage and fire water can cause pollution of watercourses.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

- Signal word warning

Version number: SDS 1.0 Date of compilation: 2022-04-04

- Pictograms

GHS07, GHS09



- Hazard statements

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.H319 Causes serious eye irritation.

H410 Very toxic to aquatic life with long lasting effects.

- Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.
P261 Avoid breathing mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352 IF ON SKIN: Wash with plenty of water.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P501 Dispose of contents/container to hazardous or special waste collection point.

- Supplemental hazard information

EUH205 Contains epoxy constituents. May produce an allergic reaction.

- Hazardous ingredients for labelling

4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane, esters with acrylic acid, hexamethylene diacrylate, phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide, 2,2'-ethylenedioxydiethyl dimethacrylate, 4,4'-Isopropylodenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane, Reaction products of hexane-1,6-diol with 2-(chloromethyl)oxirane (1:2)

2.3 Other hazards

of no significance

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Not relevant (mixture)

3.2 Mixtures

Description of the mixture

| Name of substance | Ide | ntifier | Wt% | Classification acc. to GHS |
|--|--------|-------------|-----------|--|
| 4,4'-Isopropylidenediphenol, oligo- meric reaction products with 1- chloro-2,3-epoxypropane, esters with acrylic acid | CAS No | 55818-57-0 | 50 – < 75 | Skin Sens. 1 / H317 Aquatic Acute 1 / H400 Aquatic Chronic 2 / H411 |
| hexamethylene diacrylate | CAS No | 13048-33-4 | 25 – < 50 | Skin Irrit. 2 / H315 Eye Irrit. 2 / H319 Skin Sens. 1 / H317 Aquatic Acute 1 / H400 Aquatic Chronic 2 / H411 |
| 2,2'-ethylenedioxydiethyl dimethac- rylate | CAS No | 109-16-0 | < 2 | Skin Sens. 1B / H317 |
| phenyl bis(2,4,6-trimethylbenzoyl)- phosphine oxide | CAS No | 162881-26-7 | < 2 | Skin Sens. 1A / H317 Aquatic Acute 1 / H400 Aquatic Chronic 4 / H413 |

Version number: SDS 1.0 Date of compilation: 2022-04-04

| Name of substance | Ide | ntifier | Wt% | Classification acc. to GHS |
|---|--------|---------------------------|-----|--|
| 4,4'-Isopropylodenediphenol, oligo- meric reaction products with 1- chloro-2,3-epoxypropane | CAS No | 25068-38-6 | <2 | Skin Irrit. 2 / H315 Eye Irrit. 2 / H319 Skin Sens. 1 / H317 Aquatic Chronic 2 / H411 |
| Reaction products of hexane-1,6-di- ol with 2-(chloromethyl)oxirane (1:2) | CAS No | 16096-31-4 933999-84-9 | < 2 | Skin Irrit. 2 / H315 Eye Irrit. 2 / H319 Skin Sens. 1 / H317 Aquatic Chronic 3 / H412 |

| Name of substance | Specific Conc. Limits | M-Factors | ATE | Exposure route |
|---|---|----------------------------|-----|----------------|
| 4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypro- pane, esters with acrylic acid | - | M-factor (acute) = 10.0 | - | |
| phenyl bis(2,4,6-trimethylben- zoyl)-phosphine oxide | - | M-factor (acute) = 10.0 | - | |
| 4,4'-Isopropylodenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypro- pane | Skin Irrit. 2; H315: C ≥ 5 % Eye Irrit. 2; H319: C ≥ 5 % | - | - | |

For full text of abbreviations: see SECTION 16.

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. In case of respiratory tract irritation, consult a physician. Provide fresh air.

Following skin contact

Wash with plenty of soap and water.

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

4.3 Indication of any immediate medical attention and special treatment needed

none

Version number: SDS 1.0 Date of compilation: 2022-04-04

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media

Water spray, BC-powder, Carbon dioxide (CO2)

Unsuitable extinguishing media

Water jet

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

Carbon monoxide (CO), Carbon dioxide (CO2)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Recommendations

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

Version number: SDS 1.0 Date of compilation: 2022-04-04

7.2 Conditions for safe storage, including any incompatibilities

- Packaging compatibilities

Only packagings which are approved (e.g. acc. to ADR) may be used.

7.3 Specific end use(s)

See section 16 for a general overview.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

This information is not available.

Relevant DNELs of components of the mixture

| Name of substance | CAS No | Endpoint | Threshold level | Protection goal, route of exposure | Used in | Exposure time |
|--|---------------------------|----------|----------------------|------------------------------------|-------------------|---------------------------------|
| 4,4'-Isopropylidenedi- phenol, oligomeric re- action products with 1- chloro-2,3-epoxypro- pane, esters with acryl- ic acid | 55818-57-0 | DNEL | 1.17 mg/m³ | human, inhalatory | worker (industry) | chronic - systemic effects |
| 4,4'-Isopropylidenedi- phenol, oligomeric re- action products with 1- chloro-2,3-epoxypro- pane, esters with acryl- ic acid | 55818-57-0 | DNEL | 33 mg/kg bw/ day | human, dermal | worker (industry) | chronic - systemic effects |
| hexamethylene diac- rylate | 13048-33-4 | DNEL | 24.5 mg/m³ | human, inhalatory | worker (industry) | chronic - systemic effects |
| hexamethylene diac- rylate | 13048-33-4 | DNEL | 2.77 mg/kg bw/day | human, dermal | worker (industry) | chronic - systemic ef- fects |
| 2,2'-ethylenedioxydi- ethyl dimethacrylate | 109-16-0 | DNEL | 48.5 mg/m³ | human, inhalatory | worker (industry) | chronic - systemic ef- fects |
| 2,2'-ethylenedioxydi- ethyl dimethacrylate | 109-16-0 | DNEL | 13.9 mg/kg bw/day | human, dermal | worker (industry) | chronic - systemic ef- fects |
| Reaction products of hexane-1,6-diol with 2- (chloromethyl)oxirane (1:2) | 16096-31-4 933999-84-9 | DNEL | 10.57 mg/m³ | human, inhalatory | worker (industry) | chronic - systemic effects |
| Reaction products of hexane-1,6-diol with 2- (chloromethyl)oxirane (1:2) | 16096-31-4 933999-84-9 | DNEL | 10.57 mg/m³ | human, inhalatory | worker (industry) | acute - systemic effects |
| Reaction products of hexane-1,6-diol with 2- (chloromethyl)oxirane (1:2) | 16096-31-4 933999-84-9 | DNEL | 0.44 mg/m³ | human, inhalatory | worker (industry) | chronic - local effects |
| Reaction products of hexane-1,6-diol with 2- (chloromethyl)oxirane (1:2) | 16096-31-4 933999-84-9 | DNEL | 6 mg/kg bw/ day | human, dermal | worker (industry) | chronic - systemic effects |
| Reaction products of hexane-1,6-diol with 2- (chloromethyl)oxirane (1:2) | 16096-31-4 933999-84-9 | DNEL | 22.6 µg/cm² | human, dermal | worker (industry) | chronic - local effects |
| Reaction products of hexane-1,6-diol with 2- (chloromethyl)oxirane (1:2) | 16096-31-4 933999-84-9 | DNEL | 22.6 µg/cm² | human, dermal | worker (industry) | acute - local effects |

Version number: SDS 1.0 Date of compilation: 2022-04-04

Relevant PNECs of components of the mixture

| Name of substance | CAS No | Endpoint | Threshold level | Organism | Environmental compartment | Exposure time |
|--|------------|----------|-------------------------------------|-----------------------|---------------------------------|-----------------------------------|
| 4,4'-Isopropylidenedi- phenol, oligomeric re- action products with 1- chloro-2,3-epoxypro- pane, esters with acryl- ic acid | 55818-57-0 | PNEC | 0.025 ^{mg} / _l | aquatic organisms | freshwater | short-term (single instance) |
| 4,4'-Isopropylidenedi- phenol, oligomeric re- action products with 1- chloro-2,3-epoxypro- pane, esters with acryl- ic acid | 55818-57-0 | PNEC | 0.003 ^{mg} / _l | aquatic organisms | marine water | short-term (single in- stance) |
| 4,4'-Isopropylidenedi- phenol, oligomeric re- action products with 1- chloro-2,3-epoxypro- pane, esters with acryl- ic acid | 55818-57-0 | PNEC | 10 ^{mg} / _l | aquatic organisms | sewage treatment plant (STP) | short-term (single in- stance) |
| 4,4'-Isopropylidenedi- phenol, oligomeric re- action products with 1- chloro-2,3-epoxypro- pane, esters with acryl- ic acid | 55818-57-0 | PNEC | 8.96 ^{mg} / _{kg} | aquatic organisms | freshwater sediment | short-term (single in- stance) |
| 4,4'-Isopropylidenedi- phenol, oligomeric re- action products with 1- chloro-2,3-epoxypro- pane, esters with acryl- ic acid | 55818-57-0 | PNEC | 0.896 ^{mg} / _{kg} | aquatic organisms | marine sediment | short-term (single in- stance) |
| 4,4'-Isopropylidenedi- phenol, oligomeric re- action products with 1- chloro-2,3-epoxypro- pane, esters with acryl- ic acid | 55818-57-0 | PNEC | 1.78 ^{mg} / _{kg} | terrestrial organisms | soil | short-term (single in- stance) |
| hexamethylene diac- rylate | 13048-33-4 | PNEC | 0.007 ^{mg} / _I | aquatic organisms | freshwater | short-term (single in- stance) |
| hexamethylene diac- rylate | 13048-33-4 | PNEC | 0.001 ^{mg} / _l | aquatic organisms | marine water | short-term (single in- stance) |
| hexamethylene diac- rylate | 13048-33-4 | PNEC | 2.7 ^{mg} / _I | aquatic organisms | sewage treatment plant (STP) | short-term (single in- stance) |
| hexamethylene diac- rylate | 13048-33-4 | PNEC | 0.493 ^{mg} / _{kg} | aquatic organisms | freshwater sediment | short-term (single in- stance) |
| hexamethylene diac- rylate | 13048-33-4 | PNEC | 0.049 ^{mg} / _{kg} | aquatic organisms | marine sediment | short-term (single in- stance) |
| hexamethylene diac- rylate | 13048-33-4 | PNEC | 0.094 ^{mg} / _{kg} | terrestrial organisms | soil | short-term (single in- stance) |
| 2,2'-ethylenedioxydi- ethyl dimethacrylate | 109-16-0 | PNEC | 0.016 ^{mg} / _l | aquatic organisms | freshwater | short-term (single in- stance) |
| 2,2'-ethylenedioxydi- ethyl dimethacrylate | 109-16-0 | PNEC | 0.002 ^{mg} / _l | aquatic organisms | marine water | short-term (single in- stance) |
| 2,2'-ethylenedioxydi- ethyl dimethacrylate | 109-16-0 | PNEC | 1.7 ^{mg} / _l | aquatic organisms | sewage treatment plant (STP) | short-term (single in- stance) |
| 2,2'-ethylenedioxydi- ethyl dimethacrylate | 109-16-0 | PNEC | 0.185 ^{mg} / _{kg} | aquatic organisms | freshwater sediment | short-term (single in- stance) |

Version number: SDS 1.0 Date of compilation: 2022-04-04

Relevant PNECs of components of the mixture

| Name of substance | CAS No | Endpoint | Threshold level | Organism | Environmental compartment | Exposure time |
|---|---------------------------|----------|-------------------------------------|-----------------------|---------------------------------|-----------------------------------|
| 2,2'-ethylenedioxydi- ethyl dimethacrylate | 109-16-0 | PNEC | 0.018 ^{mg} / _{kg} | aquatic organisms | marine sediment | short-term (single in- stance) |
| 2,2'-ethylenedioxydi- ethyl dimethacrylate | 109-16-0 | PNEC | 0.027 ^{mg} / _{kg} | terrestrial organisms | soil | short-term (single in- stance) |
| Reaction products of hexane-1,6-diol with 2- (chloromethyl)oxirane (1:2) | 16096-31-4 933999-84-9 | PNEC | 0.011 ^{mg} / _l | aquatic organisms | freshwater | short-term (single in- stance) |
| Reaction products of hexane-1,6-diol with 2- (chloromethyl)oxirane (1:2) | 16096-31-4 933999-84-9 | PNEC | 0.001 ^{mg} / _l | aquatic organisms | marine water | short-term (single in- stance) |
| Reaction products of hexane-1,6-diol with 2- (chloromethyl)oxirane (1:2) | 16096-31-4 933999-84-9 | PNEC | 1 ^{mg} / _l | aquatic organisms | sewage treatment plant (STP) | short-term (single in- stance) |
| Reaction products of hexane-1,6-diol with 2- (chloromethyl)oxirane (1:2) | 16096-31-4 933999-84-9 | PNEC | 0.283 ^{mg} / _{kg} | aquatic organisms | freshwater sediment | short-term (single in- stance) |
| Reaction products of hexane-1,6-diol with 2- (chloromethyl)oxirane (1:2) | 16096-31-4 933999-84-9 | PNEC | 0.028 ^{mg} / _{kg} | aquatic organisms | marine sediment | short-term (single in- stance) |
| Reaction products of hexane-1,6-diol with 2- (chloromethyl)oxirane (1:2) | 16096-31-4 933999-84-9 | PNEC | 0.223 ^{mg} / _{kg} | terrestrial organisms | soil | short-term (single instance) |

8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

Skin protection

- Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

- Type of material

Nitrile

- Material thickness

≥0,35mm

- Breakthrough times of the glove material
 - >60 minutes (permeation: level 3)
- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Version number: SDS 1.0 Date of compilation: 2022-04-04

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Physical state liquid

Colour acc. to product description

Odour characteristic
Melting point/freezing point not determined

Boiling point or initial boiling point and boiling range 98.82 °C at 0.71 mbar

Flammability this material is combustible, but will not ignite readily

Lower and upper explosion limit not determined Flash point not determined

Auto-ignition temperature 235 °C (auto-ignition temperature (liquids and gases))

Decomposition temperature not relevant

PH (value) 6.8 – 7.2 (in aqueous solution: 100 % ($^{\text{W}}/_{\text{W}}$), $25 ^{\circ}$ C)

Kinematic viscosity not determined Solubility(ies) not determined

Partition coefficient

Partition coefficient n-octanol/water (log value) this information is not available

Vapour pressure 0.001 hPa at 20 °C

Density and/or relative density

Density $1.1 \, \mathrm{g/_{cm^3}}$ at 20 °C

Relative vapour density information on this property is not available

Particle characteristics not relevant (liquid)

9.2 Other information

Information with regard to physical hazard classes hazard classes acc. to GHS (physical hazards): not relev-

ant

Other safety characteristics

Temperature class (EU, acc. to ATEX)

T3 (maximum permissible surface temperature on the equipment:

200°C)

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials".

If heated:

Exothermic polymerisation

If exposed to light:

Exothermic polymerisation.

10.2 Chemical stability

See below "Conditions to avoid".

Version number: SDS 1.0 Date of compilation: 2022-04-04

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

UV-radiation/sunlight.

10.5 Incompatible materials

Oxidisers, Reducing agents

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification according to GHS (1272/2008/EC, CLP)

Acute toxicity

Shall not be classified as acutely toxic.

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

May cause an allergic skin reaction.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

11.2 Information on other hazards

There is no additional information.

Version number: SDS 1.0 Date of compilation: 2022-04-04

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity

Very toxic to aquatic life with long lasting effects.

Aquatic toxicity (acute) of components of the mixture

| Name of substance | CAS No | Endpoint | Value | Species | Exposure time |
|--|---------------------------|----------|-------------------------------------|-----------------------|---------------|
| 4,4'-Isopropylidenediphenol, oligo- meric reaction products with 1- chloro-2,3-epoxypropane, esters with acrylic acid | 55818-57-0 | LL50 | >100 ^{mg} / _l | fish | 96 h |
| 4,4'-Isopropylidenediphenol, oligo- meric reaction products with 1- chloro-2,3-epoxypropane, esters with acrylic acid | 55818-57-0 | LC50 | >0.082 ^{mg} / _l | fish | 96 h |
| 4,4'-Isopropylidenediphenol, oligo- meric reaction products with 1- chloro-2,3-epoxypropane, esters with acrylic acid | 55818-57-0 | EC50 | >16 ^{mg} / _I | aquatic invertebrates | 48 h |
| 4,4'-Isopropylidenediphenol, oligo- meric reaction products with 1- chloro-2,3-epoxypropane, esters with acrylic acid | 55818-57-0 | EL50 | 105 ^{mg} / _l | algae | 72 h |
| 4,4'-Isopropylidenediphenol, oligo- meric reaction products with 1- chloro-2,3-epoxypropane, esters with acrylic acid | 55818-57-0 | ErC50 | 17 ^{mg} / _l | algae | 72 h |
| hexamethylene diacrylate | 13048-33-4 | LC50 | 0.38 ^{mg} / _l | fish | 96 h |
| hexamethylene diacrylate | 13048-33-4 | EC50 | 8.3 ^{mg} / _I | aquatic invertebrates | 24 h |
| hexamethylene diacrylate | 13048-33-4 | ErC50 | 2.33 ^{mg} / _l | algae | 72 h |
| 2,2'-ethylenedioxydiethyl dimethac- rylate | 109-16-0 | LC50 | 23.1 ^{mg} / _l | fish | 24 h |
| 2,2'-ethylenedioxydiethyl dimethac- rylate | 109-16-0 | ErC50 | >100 ^{mg} / _l | algae | 72 h |
| 2,2'-ethylenedioxydiethyl dimethac- rylate | 109-16-0 | EC50 | 72.8 ^{mg} / _I | algae | 72 h |
| phenyl bis(2,4,6-trimethylbenzoyl)- phosphine oxide | 162881-26-7 | LC50 | >90 ^{µg} / _I | fish | 96 h |
| phenyl bis(2,4,6-trimethylbenzoyl)- phosphine oxide | 162881-26-7 | EC50 | >1,175 ^{µg} / _I | aquatic invertebrates | 48 h |
| phenyl bis(2,4,6-trimethylbenzoyl)- phosphine oxide | 162881-26-7 | ErC50 | >260 ^{µg} / _I | algae | 72 h |
| Reaction products of hexane-1,6-di- ol with 2-(chloromethyl)oxirane (1:2) | 16096-31-4 933999-84-9 | LC50 | 30 ^{mg} / _l | fish | 96 h |
| Reaction products of hexane-1,6-di- ol with 2-(chloromethyl)oxirane (1:2) | 16096-31-4 933999-84-9 | EC50 | 23.1 ^{mg} / _l | algae | 48 h |

Version number: SDS 1.0 Date of compilation: 2022-04-04

| Aquatic toxicity (chronic) of components of the mixture | | | | | | | | |
|--|-------------|----------|-------------------------------------|-----------------------|---------------|--|--|--|
| Name of substance | CAS No | Endpoint | Value | Species | Exposure time | | | |
| 4,4'-Isopropylidenediphenol, oligo- meric reaction products with 1- chloro-2,3-epoxypropane, esters with acrylic acid | 55818-57-0 | EC50 | >1,000 ^{mg} / _l | microorganisms | 3 h | | | |
| hexamethylene diacrylate | 13048-33-4 | LC50 | 0.47 ^{mg} / _l | aquatic invertebrates | 21 d | | | |
| hexamethylene diacrylate | 13048-33-4 | EC50 | 0.15 ^{mg} / _l | aquatic invertebrates | 21 d | | | |
| 2,2'-ethylenedioxydiethyl dimethac- rylate | 109-16-0 | EC50 | 51.9 ^{mg} / _l | aquatic invertebrates | 21 d | | | |
| phenyl bis(2,4,6-trimethylbenzoyl)- phosphine oxide | 162881-26-7 | EC50 | >100 ^{mg} / _l | microorganisms | 3 h | | | |

12.2 Persistence and degradability

Degradability of components of the mixture

| Name of sub- stance | CAS No | Process | Degradation rate | Time | Method | Source |
|---|---------------------------|------------------------------|------------------|------|--------|--------|
| 4,4'-Isopropylide- nediphenol, oligo- meric reaction products with 1- chloro-2,3- epoxypropane, es- ters with acrylic acid | 55818-57-0 | oxygen depletion | 42 % | 28 d | | ECHA |
| hexamethylene diacrylate | 13048-33-4 | carbon dioxide generation | 60 – 70 % | 28 d | | ECHA |
| 2,2'-ethylenedioxy- diethyl dimethac- rylate | 109-16-0 | carbon dioxide generation | 85 % | 28 d | | ECHA |
| phenyl bis(2,4,6- trimethylbenzoyl)- phosphine oxide | 162881-26-7 | carbon dioxide generation | 1 % | 29 d | | ECHA |
| Reaction products of hexane-1,6-diol with 2-(chloro- methyl)oxirane (1:2) | 16096-31-4 933999-84-9 | oxygen depletion | 47 % | 28 d | | ECHA |

12.3 Bioaccumulative potential

Data are not available.

| Bioaccumulative potential of components of the mixture | | | | | | | |
|--|-------------|-----|----------------------------------|----------|--|--|--|
| Name of substance | CAS No | BCF | Log KOW | BOD5/COD | | | |
| 4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane, esters with acrylic acid | 55818-57-0 | | 1.6 – 3.8 (pH value: 6.4, 23 °C) | | | | |
| hexamethylene diacrylate | 13048-33-4 | | 2.81 (25 °C) | | | | |
| 2,2'-ethylenedioxydiethyl dimethac- rylate | 109-16-0 | | 2.3 | | | | |
| phenyl bis(2,4,6-trimethylbenzoyl)- phosphine oxide | 162881-26-7 | <5 | 5.8 (pH value: 8.3, 22 °C) | | | | |

Version number: SDS 1.0 Date of compilation: 2022-04-04

| Bioaccumulative potential of components of the mixture | | | | | | |
|---|---------------------------|------|---------------|----------|--|--|
| Name of substance | CAS No | BCF | Log KOW | BOD5/COD | | |
| Reaction products of hexane-1,6-diol with 2-(chloromethyl)oxirane (1:2) | 16096-31-4 933999-84-9 | 3.57 | 0.822 (20 °C) | | | |

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Endocrine disrupting properties

None of the ingredients are listed.

12.7 Other adverse effects

Data are not available.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

SECTION 14: TRANSPORT INFORMATION

| 14.1 | LIN | number (| or ID | number |
|------|-----|----------|-------|--------|
| 14.1 | UIN | number | טו וט | number |

ADR/RID/ADN UN 3082
IMDG-Code UN 3082
ICAO-TI UN 3082

14.2 UN proper shipping name

ADR/RID/ADN ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

IMDG-Code ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

ICAO-TI Environmentally hazardous substance, liquid, n.o.s.

Technical name (hazardous ingredients) 4,4'-Isopropylidenediphenol, oligomeric reaction products

with 1-chloro-2,3-epoxypropane, esters with acrylic acid,

hexamethylene diacrylate

14.3 Transport hazard class(es)

ADR/RID/ADN 9
IMDG-Code 9
ICAO-TI 9

14.4 Packing group

ADR/RID/ADN III IMDG-Code III

Version number: SDS 1.0 Date of compilation: 2022-04-04

Ш

ICAO-TI

14.5 **Environmental hazards** hazardous to the aquatic environment

14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

14.8 Information for each of the UN Model Regulations

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR) - Additional information

Classification code M6

Danger label(s) 9, fish and tree



Environmental hazards yes (hazardous to the aquatic environment)

274, 335, 375, 601 Special provisions (SP)

Excepted quantities (EQ) E1 5 L Limited quantities (LQ) 3 Transport category (TC) Tunnel restriction code (TRC) 90 Hazard identification No

Regulations concerning the International Carriage of Dangerous Goods by Rail (RID) - Additional information

Classification code

Danger label(s) 9, fish and tree



Environmental hazards yes (hazardous to water) Special provisions (SP) 274, 335, 375, 601

E1 Excepted quantities (EQ) Limited quantities (LQ) 5 L 3 Transport category (TC) Hazard identification No 90

International Maritime Dangerous Goods Code (IMDG) - Additional information

Marine pollutant yes (hazardous to the aquatic environment) (4,4'-Isopropylidenedi-

phenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane,

esters with acrylic acid)

9, fish and tree Danger label(s)



IE - en

274, 335, 969 Special provisions (SP)

E1 Excepted quantities (EQ) 5 L Limited quantities (LQ) **EmS** F-A, S-F

Stowage category

Version number: SDS 1.0 Date of compilation: 2022-04-04

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Environmental hazards yes (hazardous to the aquatic environment)

Danger label(s) 9, fish and tree



Special provisions (SP) A97, A158, A197, A215

Excepted quantities (EQ) E1
Limited quantities (LQ) 30 kg

SECTION 15: REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture
 Relevant provisions of the European Union (EU)
 Restrictions according to REACH, Annex XVII

Dangerous substances with restrictions (REACH, Annex XVII)

| Dangerous substances with restrictions (REACH, Annex XVII) | | | | |
|--|--|--------|----|--|
| Name of substance | Name acc. to inventory | CAS No | No | |
| ECONOMY LCD RESIN | this product meets the criteria for classification in accordance with Regulation No 1272/2008/EC | | 3 | |
| 4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane, esters with acrylic acid | substances in tattoo inks and permanent make-up | | 75 | |
| 2,2'-ethylenedioxydiethyl dimethacrylate | substances in tattoo inks and permanent make-up | | 75 | |
| phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide | substances in tattoo inks and permanent make-up | | 75 | |
| hexamethylene diacrylate | substances in tattoo inks and permanent make-up | | 75 | |
| 4,4'-lsopropylodenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane | substances in tattoo inks and permanent make-up | | 75 | |
| Reaction products of hexane-1,6-diol with 2- (chloromethyl)oxirane (1:2) | substances in tattoo inks and permanent make-up | | 75 | |

List of substances subject to authorisation (REACH, Annex XIV) / SVHC - candidate list

none of the ingredients are listed

Seveso Directive

| 2012/18/EU (Seveso III) | | | |
|-------------------------|--|---|-------|
| No | Dangerous substance/hazard categories | Qualifying quantity (tonnes) for the application of lower and upper-tier requirements | Notes |
| E1 | environmental hazards (hazardous to the aquatic environment, cat. 1) | 100 200 | 56) |

Notation

56) hazardous to the Aquatic Environment in category Acute 1 or Chronic 1

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS) none of the ingredients are listed

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR) none of the ingredients are listed

Version number: SDS 1.0 Date of compilation: 2022-04-04

Water Framework Directive (WFD)

List of pollutants (WFD)

| Name of substance | CAS No | Listed in | Remarks |
|--|--------|-----------|---------|
| 4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane, esters with acrylic acid | | a) | |
| phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide | | a) | |
| 4,4'-Isopropylodenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane | | a) | |
| Reaction products of hexane-1,6-diol with 2-(chloro-methyl)oxirane (1:2) | | a) | |

Legend

A) Indicative list of the main pollutants

Regulation on persistent organic pollutants (POP)

None of the ingredients are listed.

National inventories

| Country | Inventory | Status |
|---------|------------|--------------------------------|
| AU | AICS | all ingredients are listed |
| CA | DSL | all ingredients are listed |
| CN | IECSC | all ingredients are listed |
| EU | ECSI | all ingredients are listed |
| EU | REACH Reg. | all ingredients are listed |
| JP | CSCL-ENCS | not all ingredients are listed |
| JP | ISHA-ENCS | not all ingredients are listed |
| KR | KECI | all ingredients are listed |
| MX | INSQ | not all ingredients are listed |
| NZ | NZIoC | all ingredients are listed |
| PH | PICCS | all ingredients are listed |
| TR | CICR | not all ingredients are listed |
| TW | TCSI | all ingredients are listed |
| US | TSCA | all ingredients are listed |

Legend

AICS Australian Inventory of Chemical Substances
CICR Chemical Inventory and Control Regulation

CSCL-EN- List of Existing and New Chemical Substances (CSCL-ENCS)

CS

DSL Domestic Substances List (DSL)

ECSI EC Substance Inventory (EINECS, ELINCS, NLP)

IECSC Inventory of Existing Chemical Substances Produced or Imported in China

INSQ National Inventory of Chemical Substances

ISHA-ENCS Inventory of Existing and New Chemical Substances (ISHA-ENCS)

KECI Korea Existing Chemicals Inventory NZIOC New Zealand Inventory of Chemicals

PICCS Philippine Inventory of Chemicals and Chemical Substances (PICCS)

REACH registered substances

Reg.

TCSI Taiwan Chemical Substance Inventory

TSCA Toxic Substance Control Act

Version number: SDS 1.0 Date of compilation: 2022-04-04

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: OTHER INFORMATION

Abbreviations and acronyms

| Abbr. | Descriptions of used abbreviations | |
|-----------------|--|--|
| ADR | Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road) | |
| ADR/RID/ADN | Agreements concerning the International Carriage of Dangerous Goods by Road/Rail/Inland Waterways (ADR/RID/ADN) | |
| Aquatic Acute | Hazardous to the aquatic environment - acute hazard | |
| Aquatic Chronic | Hazardous to the aquatic environment - chronic hazard | |
| ATE | Acute Toxicity Estimate | |
| BCF | Bioconcentration factor | |
| BOD | Biochemical Oxygen Demand | |
| CAS | Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances) | |
| CLP | Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures | |
| COD | Chemical oxygen demand | |
| DGR | Dangerous Goods Regulations (see IATA/DGR) | |
| DNEL | Derived No-Effect Level | |
| EC50 | Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval | |
| EINECS | European Inventory of Existing Commercial Chemical Substances | |
| EL50 | Effective Loading 50 %: the EL50 corresponds to the loading rate required to produce a response in 50% of the test organisms | |
| ELINCS | European List of Notified Chemical Substances | |
| EmS | Emergency Schedule | |
| ErC50 | ≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control | |
| Eye Dam. | Seriously damaging to the eye | |
| Eye Irrit. | Irritant to the eye | |
| GHS | "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations | |
| IATA | International Air Transport Association | |
| IATA/DGR | Dangerous Goods Regulations (DGR) for the air transport (IATA) | |
| ICAO | International Civil Aviation Organization | |
| ICAO-TI | Technical instructions for the safe transport of dangerous goods by air | |
| IMDG | International Maritime Dangerous Goods Code | |
| IMDG-Code | International Maritime Dangerous Goods Code | |
| LC50 | Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % leth- ality during a specified time interval | |
| LL50 | Lethal Loading 50 %: the LL50 corresponds to the loading rate causing 50 % lethality | |
| log KOW | n-Octanol/water | |

Version number: SDS 1.0 Date of compilation: 2022-04-04

| Abbr. | Descriptions of used abbreviations |
|-------------|--|
| M-factor | Means a multiplying factor. It is applied to the concentration of a substance classified as hazardous to the aquatic environment acute category 1 or chronic category 1, and is used to derive by the summation method the classification of a mixture in which the substance is present |
| NLP | No-Longer Polymer |
| PBT | Persistent, Bioaccumulative and Toxic |
| PNEC | Predicted No-Effect Concentration |
| REACH | Registration, Evaluation, Authorisation and Restriction of Chemicals |
| RID | Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations con- cerning the International carriage of Dangerous goods by Rail) |
| Skin Corr. | Corrosive to skin |
| Skin Irrit. | Irritant to skin |
| Skin Sens. | Skin sensitisation |
| SVHC | Substance of Very High Concern |
| vPvB | Very Persistent and very Bioaccumulative |

Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties: The classification is based on tested mixture.

Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in section 2 and 3)

| Code | Text |
|------|---|
| H315 | Causes skin irritation. |
| H317 | May cause an allergic skin reaction. |
| H319 | Causes serious eye irritation. |
| H400 | Very toxic to aquatic life. |
| H411 | Toxic to aquatic life with long lasting effects. |
| H412 | Harmful to aquatic life with long lasting effects. |
| H413 | May cause long lasting harmful effects to aquatic life. |

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.