SAFETY DATA SHEET



SECTION 1: Identification of the substance/mixture and of the company/undertaking

| 1.1. Product identifier | |
|--|---|
| Trade name or designation of the mixture | Pegasus PP |
| Registration number | - |
| Synonyms | None. |
| Issue date | 29-March-2019 |
| Version number | 01 |
| 1.2. Relevant identified uses of t | he substance or mixture and uses advised against |
| Identified uses | 3D printer filament |
| Uses advised against | None known. |
| 1.3. Details of the supplier of the | e safety data sheet |
| Supplier | |
| Company name | Formfutura BV |
| Address | Groenestraat 215, 6531 HH Nijmegen, The Netherlands |
| Telephone | +31 (0)85 743 4000 (Office hours Mo Fr. 09:00 - 17:00 CET) |
| Contact person | Product Compliance |
| e-mail | product.compliance@formfutura.com |
| | |
| 1.4. Emergency telephone | +31 (0)30 274 8888, only for the doctor |
| number | National Poison Information Center Utrecht, The Netherlands |

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

Classification according to Regulation (EC) No 1272/2008 as amended

This mixture does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended.

Hazard summary Not available.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

| Hazard pictograms | None. |
|----------------------------------|--|
| Signal word | None. |
| Hazard statements | The mixture does not meet the criteria for classification. |
| Precautionary statements | |
| Prevention | Not available. |
| Response | Not available. |
| Storage | Not available. |
| Disposal | Not available. |
| Supplemental label information N | lone. |
| | Not a DDT any DyD ay hatanaa an miytura |

2.3. Other hazards Not a PBT or vPvB substance or mixture.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

| Chemical name | % | CAS-No. / EC No. | REACH Registration No | . Index No. | Notes |
|---|--|--|---|---------------------|-----------------|
| Soda Lime Borosilicate Glass | 20 - < 30 | 65997-17-3 266-046-0 | - | - | # |
| Classification: - | | | | | |
| Other components below repo levels | ortable 70 - < 80 | | | | |
| Residuals | | | | | |
| Chemical name | % | CAS-No. / EC No. | REACH Registration No. | Index No. | Notes |
| Maleic anhydride | < 0,1 | | - | 607-096-00-9 | |
| Composition comments | Occupational Expo is displayed in sec | | duals are listed in Section 8. | The full text for a | I H-statements |
| SECTION 4: First aid meas | sures | | | | |
| General information | Ensure that medic protect themselves | | are of the material(s) involve | ed, and take preca | utions to |
| 4.1. Description of first aid meas | sures | | | | |
| Inhalation | | | ct. If exposed to excessive f cough or other symptoms of | | umes, remove |
| Skin contact | | e a physician for rer | cool molten material adheri noval of adhering material a | | |
| Eye contact | | he form of the produ ek medical attentior | ct. If hot product contacts e immediately. | ye, flush with wate | er for at least |
| Ingestion | Not likely, due to t | he form of the produ | ict. | | |
| 4.2. Most important symptoms and effects, both acute and delayed | Exposure may cau | use temporary irritati | on, redness, or discomfort. | | |
| 4.3. Indication of any immediate medical attention and special treatment needed | Treat symptomatic | cally. | | | |
| SECTION 5: Firefighting m | easures | | | | |
| General fire hazards | No unusual fire or | explosion hazards r | noted. | | |
| 5.1. Extinguishing media Suitable extinguishing media | Water fog. Foam. | Dry chemical powde | r. Carbon dioxide (CO2). | | |
| Unsuitable extinguishing media | Do not use water j | et as an extinguishe | r, as this will spread the fire | | |
| 5.2. Special hazards arising from the substance or mixture | During fire, gases | hazardous to health | may be formed. | | |
| 5.3. Advice for firefighters Special protective equipment for firefighters | Self-contained bre | athing apparatus an | d full protective clothing mu | st be worn in case | e of fire. |
| Special fire fighting procedures | Move containers f | rom fire area if you o | an do so without risk. | | |
| Specific methods | Use standard firefi | ghting procedures a | nd consider the hazards of | other involved ma | terials. |
| SECTION 6: Accidental rel | ease measures | | | | |
| 6.1. Personal precautions, prote | | | | soction 8 of the SI | |
| For non-emergency personnel | | | or personal protection, see | | |
| For emergency responders | SDS. | | se personal protection reco | mmended in Secti | on 8 of the |
| 6.2. Environmental precautions | - | | rses or onto the ground. | | |
| 6.3. Methods and material for containment and cleaning up | For waste disposa | I, see section 13 of | | | |
| 6.4. Reference to other | For personal prote | ction, see section 8 | of the SDS. For waste disp | osal, see section 1 | 3 of the SDS. |

sections

ന്

SECTION 7: Handling and storage

| 7.1. Precautions for safe handling | Avoid prolonged exposure. Observe good industrial hygiene practices. |
|---|--|
| 7.2. Conditions for safe storage, including any incompatibilities | Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS). |
| 7.3. Specific end use(s) | Not available. |

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

Austria. MAK List, OEL Ordinance (GwV), BGBI. II, no. 184/2001

| Residuals | Туре | Value |
|---|--|---|
| Maleic anhydride | Ceiling | 0,8 mg/m3 |
| | | 0,2 ppm |
| | MAK | 0,4 mg/m3 |
| | | 0,1 ppm |
| Belgium. Exposure Limit Values | i. | |
| Residuals | Туре | Value |
| Maleic anhydride | TWA | 0,41 mg/m3 |
| | | 0,1 ppm |
| Bulgaria. OELs. Regulation No 1 | 3 on protection of workers agai | nst risks of exposure to chemical agents at work |
| | Туре | Value |
| Residuals | туре | V alue |
| Residuals Maleic anhydride | TWA | 1 mg/m3 |
| Maleic anhydride | TWA | 1 mg/m3 |
| Maleic anhydride Croatia. Dangerous Substance E | TWA | |
| Maleic anhydride Croatia. Dangerous Substance E Residuals | TWA Exposure Limit Values in the Wo | 1 mg/m3 rkplace (ELVs), Annexes 1 and 2, Narodne Novine, 13/ |
| Maleic anhydride Croatia. Dangerous Substance E Residuals | TWA Exposure Limit Values in the Wo Type | 1 mg/m3 rkplace (ELVs), Annexes 1 and 2, Narodne Novine, 13/ Value |
| Maleic anhydride Croatia. Dangerous Substance E Residuals Maleic anhydride | TWA Exposure Limit Values in the Wo Type MAC STEL | 1 mg/m3 rkplace (ELVs), Annexes 1 and 2, Narodne Novine, 13/ Value 1 mg/m3 |
| Maleic anhydride Croatia. Dangerous Substance E Residuals Maleic anhydride Czech Republic. OELs. Governn | TWA Exposure Limit Values in the Wo Type MAC STEL | 1 mg/m3 rkplace (ELVs), Annexes 1 and 2, Narodne Novine, 13/ Value 1 mg/m3 |
| Maleic anhydride Croatia. Dangerous Substance E Residuals | TWA Exposure Limit Values in the Wo Type MAC STEL nent Decree 361 | 1 mg/m3 rkplace (ELVs), Annexes 1 and 2, Narodne Novine, 13/ Value 1 mg/m3 3 ppm |
| Maleic anhydride Croatia. Dangerous Substance E Residuals Maleic anhydride Czech Republic. OELs. Governn Residuals | TWA Exposure Limit Values in the Wo Type MAC STEL nent Decree 361 Type | 1 mg/m3 rkplace (ELVs), Annexes 1 and 2, Narodne Novine, 13/ Value 1 mg/m3 3 ppm Value Value |
| Maleic anhydride Croatia. Dangerous Substance E Residuals Maleic anhydride Czech Republic. OELs. Governn Residuals Maleic anhydride | TWA Exposure Limit Values in the Wo Type MAC STEL nent Decree 361 Type Ceiling TWA | 1 mg/m3 rkplace (ELVs), Annexes 1 and 2, Narodne Novine, 13/ Value 1 mg/m3 3 ppm Value 2 mg/m3 |
| Maleic anhydride Croatia. Dangerous Substance E Residuals Maleic anhydride Czech Republic. OELs. Governn Residuals Maleic anhydride Denmark. Exposure Limit Values | TWA Exposure Limit Values in the Wo Type MAC STEL nent Decree 361 Type Ceiling TWA | 1 mg/m3 rkplace (ELVs), Annexes 1 and 2, Narodne Novine, 13/ Value 1 mg/m3 3 ppm Value 2 mg/m3 |
| Maleic anhydride Croatia. Dangerous Substance E Residuals Maleic anhydride Czech Republic. OELs. Governn Residuals | TWA Exposure Limit Values in the Wo Type MAC STEL nent Decree 361 Type Ceiling TWA | 1 mg/m3 rkplace (ELVs), Annexes 1 and 2, Narodne Novine, 13/ Value 1 mg/m3 3 ppm Value 2 mg/m3 1 mg/m3 |

Estonia. OELs. Occupational Exposure Limits of Hazardous Substances. (Annex of Regulation No. 293 of 18 September 2001)

| Residuals | Туре | Value |
|------------------------------------|-----------------|---------------------|
| Maleic anhydride | STEL | 2,5 mg/m3 |
| | | 0,6 ppm |
| | TWA | 1,2 mg/m3 |
| | | 0,3 ppm |
| Finland. Workplace Exposure Limits | | |
| | | |
| Residuals | Туре | Value |
| Maleic anhydride | Type Ceiling | Value 0,81 mg/m3 |
| | | |
| | | 0,81 mg/m3 |

| France. Threshold Limit Values (VLE Residuals | P) for Occupational Expos Type | ure to Chemicals in France, INRS Value | 5 EU 984 |
|--|------------------------------------|---|-------------------------|
| Aaleic anhydride | VLE | 1 mg/m3 | |
| Sermany. DFG MAK List (advisory O n the Work Area (DFG) | ELs). Commission for the I | nvestigation of Health Hazards o | of Chemical Compounds |
| Residuals | Туре | Value | Form |
| Maleic anhydride | TWA | 0,41 mg/m3 | Vapour and aerosol. |
| | | 0,1 ppm | Vapour and aerosol. |
| Germany. TRGS 900, Limit Values in Residuals | the Ambient Air at the Wor Type | kplace Value | Form |
| Maleic anhydride | AGW | 0,41 mg/m3 | Vapour and aerosol. |
| | | 0,1 ppm | Vapour and aerosol. |
| areece. OELs (Decree No. 90/1999, a Residuals | s amended) Type | Value | |
| laleic anhydride | TWA | 1 mg/m3 | |
| | IWA | 0,25 ppm | |
| | | | |
| lungary. OELs. Joint Decree on Che Residuals | mical Safety of Workplace | s Value | |
| /aleic anhydride | STEL | 0,4 mg/m3 | |
| | TWA | 0,4 mg/m3 | |
| colord OEL & Regulation 154/1000 | | | |
| celand. OELs. Regulation 154/1999 c Residuals | Type | Value | |
| Ialeic anhydride | TWA | 0,4 mg/m3 | |
| | | 0,1 ppm | |
| reland. Occupational Exposure Limi Residuals | ts Type | Value | |
| Aaleic anhydride | TWA | 0,1 ppm | |
| | IWA | 0,1 ppm | |
| aly. Occupational Exposure Limits | Туре | Value | Form |
| /aleic anhydride | TWA | 0,01 mg/m3 | Inhalable fraction and |
| 2 | | , 0 | vapor. |
| atvia. OELs. Occupational exposure | | | |
| Residuals | Туре | Value | |
| laleic anhydride | TWA | 1 mg/m3 | |
| ithuania. OELs. Limit Values for Ch Residuals | emical Substances, Genera Type | al Requirements Value | |
| /aleic anhydride | STEL | 2,5 mg/m3 | |
| | | 0,6 ppm | |
| | TWA | 1,2 mg/m3 | |
| | | 0,3 ppm | |
| lorway. Administrative Norms for Co residuals | ontaminants in the Workpla Type | ice Value | |
| faleic anhydride | TLV | 0,8 mg/m3 | |
| - | | 0,2 ppm | |
| Ordinance of the Minister of Labour a | and Social Policy on 6 Jun | | ible concentrations and |
| ntensities of harmful health factors i Residuals | | | |
| Ialeic anhydride | STEL | 1 mg/m3 | |
| | TWA | 0,5 mg/m3 | |
| | | , gr - | |

Ļ

| Residuals | occupational exposure to chemical ag Type | Value | |
|---|---|---------------------------------------|-------------------------------|
| Maleic anhydride | TWA | 0,1 ppm | |
| | n of workers from exposure to chemic | • | |
| Residuals | Туре | Value | |
| Maleic anhydride | STEL | 3 mg/m3 | |
| | | 0,75 ppm | |
| | TWA | 1 mg/m3 | |
| | | 0,25 ppm | |
| Slovakia. OELs. Regulation Residuals | n No. 300/2007 concerning protection Type | of health in work with chemi Value | cal agents |
| Maleic anhydride | TWA | 0,41 mg/m3 | |
| | | 0,1 ppm | |
| | ns concerning protection of workers | against risks due to exposure | e to chemicals while work |
| (Official Gazette of the Rep Residuals | oublic of Slovenia) Type | Value | |
| Maleic anhydride | TWA | 0,41 mg/m3 | |
| | | 0,1 ppm | |
| Spain. Occupational Expo | suro Limits | 0,1 ppm | |
| Residuals | Туре | Value | Form |
| Maleic anhydride | TWA | 0,4 mg/m3 | Inhalable fraction and vapor. |
| | | 0,1 ppm | Inhalable fraction and vapor. |
| Sweden. OELs. Work Envi Residuals | ronment Authority (AV), Occupationa Type | l Exposure Limit Values (AFS Value | S 2015:7) |
| Maleic anhydride | Ceiling | 0,4 mg/m3 | |
| | | 0,1 ppm | |
| | TWA | 0,2 mg/m3 | |
| | | 0,05 ppm | |
| Switzerland. SUVA Grenzy | - | N.L. | |
| Residuals | Туре | Value | |
| Maleic anhydride | STEL | 0,4 mg/m3 | |
| | | 0,1 ppm | |
| | TWA | 0,4 mg/m3 | |
| | | 0,1 ppm | |
| UK. EH40 Workplace Expo Residuals | sure Limits (WELs) Type | Value | |
| Maleic anhydride | STEL | 3 mg/m3 | |
| | TWA | 1 mg/m3 | |
| ogical limit values | No biological exposure limits noted f | or the ingredient(s). | |
| ommended monitoring cedures | Follow standard monitoring procedu | es. | |
| ived no effect levels ELs) | Not available. | | |
| dicted no effect centrations (PNECs) | Not available. | | |
| Exposure controls | | | |
| propriate engineering trols | Good general ventilation should be u applicable, use process enclosures, maintain airborne levels below recor | local exhaust ventilation, or oth | er engineering controls to |

Individual protection measures, such as personal protective equipment

| General information | Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment. |
|---------------------------------|---|
| Eye/face protection | Wear safety glasses with side shields (or goggles). |
| Skin protection | |
| - Hand protection | Wear appropriate chemical resistant gloves. |
| - Other | Wear suitable protective clothing. |
| Respiratory protection | In case of insufficient ventilation, wear suitable respiratory equipment. |
| Thermal hazards | Wear appropriate thermal protective clothing, when necessary. |
| Hygiene measures | Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. |
| Environmental exposure controls | Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. |

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| Appearance | |
|--|---|
| Physical state | Solid. |
| Form | filament |
| Colour | Color depends on product specification |
| Odour | Slight. |
| Odour threshold | Not available. |
| рН | Not available. |
| Melting point/freezing point | 140 - 165 °C (284 - 329 °F) |
| Initial boiling point and boiling range | Not available. |
| Flash point | Not available. |
| Evaporation rate | Not available. |
| Flammability (solid, gas) | Not available. |
| Upper/lower flammability or expl | losive limits |
| Flammability limit - lower (%) | Not available. |
| Flammability limit - upper (%) | Not available. |
| Vapour pressure | Not available. |
| Vapour density | Not available. |
| Relative density | Not available. |
| Solubility(ies) | |
| Solubility (water) | Insoluble |
| Partition coefficient (n-octanol/water) | Not available. |
| Auto-ignition temperature | Not available. |
| Decomposition temperature | Not available. |
| Viscosity | Not available. |
| Explosive properties | Not explosive. |
| Oxidising properties | Not oxidising. |
| 9.2. Other information | |
| Density | 0,60 - 0,80 g/cm ³ |
| SECTION 10: Stability and | reactivity |
| 10.1. Reactivity | The product is stable and non-reactive under normal conditions of use, storage and transport. |
| 10.2 Chemical stability | Material is stable under normal conditions |

| 10.4. Conditions to avoid | Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Contact with incompatible materials. |
|---|---|
| 10.5. Incompatible materials | Strong oxidising agents. |
| 10.6. Hazardous decomposition products | Sulphur oxides. At thermal decomposition temperatures, carbon monoxide and carbon dioxide. |

SECTION 11: Toxicological information

| General information | Occupational exposure to the substance or mixture may cause adverse effects. | |
|---|---|--|
| Information on likely routes of exposure | | |
| Inhalation | Prolonged inhalation may be harmful. | |
| Skin contact | Based on available data, the classification criteria are not met. | |
| Eye contact | Based on available data, the classification criteria are not met. | |
| Ingestion | May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of occupational exposure. | |
| Symptoms | Exposure may cause temporary irritation, redness, or discomfort. | |
| 11.1. Information on toxicologic | al effects | |
| Acute toxicity | Not known. | |
| Skin corrosion/irritation | Based on available data, the classification criteria are not met. | |
| Serious eye damage/eye irritation | Based on available data, the classification criteria are not met. | |
| Respiratory sensitisation | Based on available data, the classification criteria are not met. | |
| Skin sensitisation | Based on available data, the classification criteria are not met. | |
| Germ cell mutagenicity | Based on available data, the classification criteria are not met. | |
| Carcinogenicity | Based on available data, the classification criteria are not met. | |
| Hungary. 26/2000 EüM Ordin (as amended) Not listed. | nance on protection against and preventing risk relating to exposure to carcinogens at work | |
| Reproductive toxicity | Based on available data, the classification criteria are not met. | |
| Specific target organ toxicity - single exposure | Based on available data, the classification criteria are not met. | |
| Specific target organ toxicity - repeated exposure | Based on available data, the classification criteria are not met. | |
| Aspiration hazard | Based on available data, the classification criteria are not met. | |
| Mixture versus substance information | No information available. | |
| Other information | This product has no known adverse effect on human health. | |

SECTION 12: Ecological information

| 12.1. Toxicity | The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment. |
|--|--|
| 12.2. Persistence and degradability | No data is available on the degradability of any ingredients in the mixture. |
| 12.3. Bioaccumulative potential | No data available. |
| Partition coefficient n-octanol/water (log Kow) | Not available. |
| Bioconcentration factor (BCF) | Not available. |
| 12.4. Mobility in soil | No data available. |
| 12.5. Results of PBT and vPvB assessment | Not a PBT or vPvB substance or mixture. |
| 12.6. Other adverse effects | No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component. |

SECTION 13: Disposal considerations

| 13.1. Waste treatment methods | |
|-------------------------------|--|
| Residual waste | Dispose of in accordance with local regulations. |
| Contaminated packaging | Empty containers should be taken to an approved waste handling site for recycling or disposal. |
| EU waste code | The Waste code should be assigned in discussion between the user, the producer and the waste disposal company. |

Disposal methods/informationCollect and reclaim or dispose in sealed containers at licensed waste disposal site.Special precautionsDispose in accordance with all applicable regulations.

SECTION 14: Transport information

ADR

14.1. - 14.6.: Not regulated as dangerous goods.

RID

14.1. - 14.6.: Not regulated as dangerous goods.

ADN

14.1. - 14.6.: Not regulated as dangerous goods.

ΙΑΤΑ

14.1. - 14.6.: Not regulated as dangerous goods.

IMDG

14.1. - 14.6.: Not regulated as dangerous goods.

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC

Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended Not listed.

Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended Not listed.

Not applicable.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended Not listed.

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA Not listed.

Authorisations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended Not listed

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended Not listed.

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended.

Not listed.

Other EU regulations

| Directive 2012/18/EU or Not listed. | n major accident hazards involving dangerous substances, as amended |
|--|---|
| | |
| Other regulations | The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP Regulation) as amended. This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006, as amended. |
| National regulations | Follow national regulation for work with chemical agents in accordance with Directive 98/24/EC, as amended. |
| 15.2. Chemical safety assessment | No Chemical Safety Assessment has been carried out. |

SECTION 16: Other information

List of abbreviations

Not available.

References

Information on evaluation method leading to the classification of mixture

Full text of any H-statements not written out in full under Sections 2 to 15

Revision information

Training information

Disclaimer

Not available.

The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.

None.

None.

Follow training instructions when handling this material.

This safety data sheet (SDS) is issued based on the latest reference, data etc currently available. The information in this SDS has been carefully assessed, but no guarantee is given for its accuracy. We cannot anticipate all conditions under which this product may be used. It is the user's responsibility to take appropriate safety measures for handling.